CORRECTION

Open Access

Correction: Deep learning-based metastasis detection in patients with lung cancer to enhance reproducibility and reduce workload in brain metastasis screening with MRI: a multi-center study

Yae Won Park[1], Ji Eun Park[2*†], Sung Soo Ahn[1*†], Kyunghwa Han[1], NakYoung Kim[3], Joo Young Oh[2], Da Hyun Lee[4], So Yeon Won[5], Ilah Shin[6], Ho Sung Kim[2] and Seung-Koo Lee[1]

Following publication of the original article [1], we were notified that the description and order of the supplementary files was incorrect. This has now been rectified.

The original article has been corrected.

Published online: 21 March 2024

References
1. Carrillo–Perez, et al. Cancer Imaging. 2023;23:66. https://doi.org/10.1186/s40644-024-00669-9.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

†Ji Eun Park and Sung Soo Ahn contributed equally to this work.

The online version of the original article can be found at https://doi.org/10.1186/s40644-024-00669-9.

*Correspondence:
Ji Eun Park
jieunp@gmail.com
Sung Soo Ahn
sungsoo@yuhs.ac
[1]Department of Radiology and Research Institute of Radiological Science and Center for Clinical Imaging Data Science, Yonsei University College of Medicine, 50-1 Yonsei-ro, Seodaemun-gu, 03722 Seoul, Korea
[2]Department of Radiology and Research Institute of Radiology, University of Ulsan College of Medicine, Asan Medical Center, 43 Olympic-ro 88, Songpa-Gu, 3Dynapex, LLC, 05505 Seoul, Korea
[3]Dynapex, LLC, Seoul, Korea
[4]Department of Radiology, Ajou University Medical Center, Suwon, Korea
[5]Department of Radiology, Samsung Seoul Hospital, Seoul, Korea
[6]Department of Radiology, The Catholic University of Korea, Seoul St. Mary's hospital, Seoul, Korea